


Libe

SKU:MAMORA-201-Libe

SUSPENSION
APPLIQUE

Telaio in metallo galvanizzato con diffusore in losanghe di cristallo opaco. Illuminazione LED.

Galvanised metal frame with a matt crystal lozenge diffuser. LED lighting.

Gestell aus galvanisch beschichtetem Metall mit Diffusor in matten Kristallrauten. LED-Leuchtmittel.

Marco de metal galvanizado con difusor en pastillas de cristal opaco. Iluminación LED.

Structure en métal galvanisé avec diffuseur en losanges en cristal mat. Éclairage à LED.

Каркас из оцинкованного металла с рассеивателем из пластин матового хрусталя. Светодиодный светильник.

电镀金属灯架，带不透明水晶菱形散光罩。LED 灯。

إطار معدني مجلفن مع ناشر من المعينات الكريستالية غير شفافة. الإنارة ليد.


FINISHINGS

STANDARD



G14 Ottone brunito
Burnished brass

STANDARD CABLES



LIBE S160



W 160 cm / 63.00"
D 16 cm / 6.30"
H 30 cm / 11.80"

STANDARD INTEGRATED LED LIGHTING


104 W CRI>90
3000 K – 9770 NOMINAL LM

ON REQUEST

104 W CRI>90
2700 K – 9280 NOMINAL LM

DIMMABLE

1-10V



LIBE S100



W 100 cm / 39.40"
D 16 cm / 6.30"
H 20 cm / 7.90"

STANDARD INTEGRATED LED LIGHTING


63 W CRI>90
3000 K – 5922 NOMINAL LM

ON REQUEST

63 W CRI>90
2700 K – 5620 NOMINAL LM

DIMMABLE

0-10V



LIBE ROUND S140



Ø 140 cm / 55.10"
H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING


144 W CRI>90
3000 K – 13536 NOMINAL LM

ON REQUEST

144 W CRI>90
2700 K – 12850 NOMINAL LM

DIMMABLE

1-10V



LIBE ROUND S115



Ø 115 cm / 45.30"
H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING


116 W CRI>90
3000 K – 10904 NOMINAL LM

ON REQUEST

116 W CRI>90
2700 K – 10350 NOMINAL LM

DIMMABLE

1-10V



LIBE ROUND S90



Ø 90 cm / 35.40"
H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING


90 W CRI>90
3000 K – 8460 NOMINAL LM

ON REQUEST

90 W CRI>90
2700 K – 8030 NOMINAL LM

DIMMABLE

0-10V



LIBE ROUND S60



Ø 60 cm / 23.60"
H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING

59 W CRI>90
3000 K – 5546 NOMINAL LM

ON REQUEST

59 W CRI>90
2700 K – 5264 NOMINAL LM

DIMMABLE

0-10V



LIBE ELLIPSE S120



W 120 cm / 47.20"
D 40 cm / 15.70"
H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING


86,5 W CRI>90
3000 K – 8131 NOMINAL LM

ON REQUEST

86,5 W CRI>90
2700 K – 7720 NOMINAL LM

DIMMABLE

0-10V



LIBE ELLIPSE S90



W 90 cm / 35.40"
D 30 cm / 11.80"
H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING


62,5 W CRI>90
3000 K – 5875 NOMINAL LM

ON REQUEST

62,5 W CRI>90
2700 K – 5580 NOMINAL LM

DIMMABLE

0-10V



LIBE A55



W 55 cm / 21.70"

D 8 cm / 3.10"

H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING

7 W CRI>90

3000 K – 658 NOMINAL LM


ON REQUEST

7 W CRI>90

2700 K – 625 NOMINAL LM


DIMMABLE

NO



SINGLE CANOPY

SIZE		FINISHINGS	PRODUCT NAME
Ø	27,5 cm / 10.80"	● G14	LIBE ROUND S140
H	9 cm / 3.50"		LIBE ROUND S115
			LIBE ROUND S90
			LIBE ROUND S60



SINGLE CANOPY

SIZE		FINISHINGS	PRODUCT NAME
Ø	27,5 cm / 10.80"	● G14	LIBE S100
H	9 cm / 3.50"		LIBE S160
			LIBE ELLIPSE S90
			LIBE ELLIPSE S120

